PF-0354-2 DIV

What is claimed is:

- An isolated polypeptide comprising an amino acid sequence selected from the group consisting of:
- 5 an amino acid sequence of SEQ ID NO:1,
 - a naturally-occurring amino acid sequence having at least 90% sequence identity to the sequence of SEQ ID NO:1,
 - c) a biologically-active fragment of the amino acid sequence of SEQ ID NO:1, and
 - d) an immunogenic fragment of the amino acid sequence of SEQ ID NO:1.
 - An isolated polypeptide of claim 1, having a sequence of SEQ ID NO:1.
 - 3. An isolated antibody which specifically binds to a polypeptide of claim 1.
 - A diagnostic test for a condition or disease associated with the expression of NABP-1 in a biological sample comprising the steps of:
 - a) combining the biological sample with an antibody of claim 3, under conditions suitable for the antibody to bind the polypeptide and form an antibody: polypeptide complex; and
 - detecting the complex, wherein the presence of the complex correlates with the presence of the polypeptide in the biological sample.
 - 5. The antibody of claim 3, wherein the antibody is:
 - (a) a chimeric antibody;
 - (b) a single chain antibody;
 - (c) a Fab fragment;
 - (d) a F(ab')2 fragment; or
 - (e) a humanized antibody.
 - A composition comprising an antibody of claim 3 and an acceptable excipient.
 - A method of diagnosing a condition or disease associated with the expression of NABP-1 in a subject, comprising administering to said subject an effective amount of the

25

30

25

30

composition of claim 6.

- 8. A composition of claim 6, wherein the antibody is labeled.
- A method of diagnosing a condition or disease associated with the expression of NABP-1 in a subject, comprising administering to said subject an effective amount of the composition of claim 8.
- A method of preparing a polyclonal antibody with the specificity of the antibody of
 claim 3 comprising:
 - immunizing an animal with a polypeptide of SEQ ID NO:1 or an immunogenic fragment thereof under conditions to elicit an antibody response;
 - b) isolating antibodies from said animal; and
 - screening the isolated antibodies with the polypeptide thereby identifying a
 polyclonal antibody which binds specifically to a polypeptide of SEQ ID NO:1.
 - 11. An antibody produced by a method of claim 10.
 - 12. A composition comprising the antibody of claim 11 and a suitable carrier.
 - A method of making a monoclonal antibody with the specificity of the antibody of claim 3 comprising:
 - immunizing an animal with a polypeptide of SEQ ID NO:1 or an immunogenic fragment thereof under conditions to elicit an antibody response;
 - isolating antibody producing cells from the animal;
 - fusing the antibody producing cells with immortalized cells to form monoclonal antibody-producing hybridoma cells;
 - d) culturing the hybridoma cells; and
 - e) isolating from the culture monoclonal antibody which binds specifically to a
 polypeptide of SEQ ID NO:1.
 - 14. A monoclonal antibody produced by a method of claim 13.

PF-0354-2 DIV

5

10

- 15. A composition comprising the antibody of claim 14 and a suitable carrier.
- The antibody of claim 3, wherein the antibody is produced by screening a Fab
 expression library.
- The antibody of claim 3, wherein the antibody is produced by screening a recombinant immunoglobulin library.
- A method for detecting a polypeptide of SEQ ID NO:1 in a sample comprising the steps of:
 - incubating the antibody of claim 3 with a sample under conditions to allow specific binding of the antibody and the polypeptide; and
 - detecting specific binding, wherein specific binding indicates the presence of a polypeptide of SEQ ID NO:1 in the sample.
- 19. A method of purifying a polypeptide of SEQ ID NO:1 from a sample, the method comprising:
 - a) incubating the antibody of claim 3 with a sample under conditions to allow specific binding of the antibody and the polypeptide; and
 - separating the antibody from the sample and obtaining purified polypeptide of SEQ ID NO:1.

25

30